


*Southern Nevada Regional Planning Coalition*  
*Regional Fruit and Vegetable Plant List*



*Approved*  
*January 28, 2014*



## **Acknowledgements**

This Regional Fruit and Vegetable Plant List has been assembled by the City of Las Vegas Department of Planning at the direction of Policy FP 1.2.2 of the City of Las Vegas Food Access Policy Guide. Several agencies and individuals played a vital role in the review and provision of information contained within this guide, including the Southern Nevada Regional Planning Coalition's (SNRPC) Regional Urban Forestry Work Group and the University of Nevada Cooperative Extension. Special thanks go to the following individuals for their contributions:

Paul Andricopulos, City of Henderson

Andréa Baker, Southern Nevada Water Authority

Cleto Arceo, NV Energy

Dave Cornoyer, City of Las Vegas

Laura Eisenberg, Nevada Division of Forestry

Elaine Fagin, University of Nevada Cooperative Extension

Robert Morris, University of Nevada Cooperative Extension

Johanna Murphy, City of North Las Vegas

Summer Ortiz, Southern Nevada Water Authority

On the cover: City of Las Vegas Mayor Carolyn G. Goodman, Councilwoman Lois Tarkanian and Councilman Steve Ross attend the grand opening of the Provident Community Garden, 6000 West Oakey Boulevard.

## **Introduction**

The intent of this list is to provide a single, region-wide reference for homeowners and community gardeners to select appropriate plants when planning out their gardens in the Las Vegas area. This list is not intended for commercial crop or food production, as the local soil conditions and water usage of many of these plants hinder large-scale commercial viability.

## **Best Practices**

Gardening in raised beds is a common practice here in Southern Nevada, as native soils contain high salt levels and low amounts of organic matter. Many times gardeners will find that raised beds are easier to create and maintain than to dig in and amend native alkaline soils. Utilizing a layer of organic mulch is strongly recommended in fruit and vegetable gardening to control soil temperatures, conserve water usage and regulate weeds.

## **Variety Selection**

Given the complex climate challenges of Southern Nevada, certain varieties of fruits and vegetables work better than others. When particular varieties of fruit or vegetables are specified, it is because they have been proven to be better, more reliable selections for our region. While other varieties of fruits or vegetables not shown on this list may be available at retail locations, careful research should be conducted to ensure that the chosen plant variety will perform satisfactory in our climate and produce reliable edibles.

<b>KEY</b> Height, Width and Coverage are at mature growth. <b>Food Type:</b> <u>B</u> erry, <u>F</u> ruit, <u>H</u> erb, <u>N</u> ut, <u>V</u> egetable, <u>O</u> ther <b>Type:</b> <u>D</u> eciduous, <u>E</u> vergreen, <u>S</u> emi-evergreen <b>Growth Rate:</b> <u>S</u> low, <u>M</u> edium, <u>F</u> ast <b>Water Use:</b> <u>V</u> ery Low, <u>L</u> ow, <u>M</u> edium, <u>H</u> igh <b>Drought Tolerance:</b> <u>L</u> ow, <u>M</u> edium, <u>H</u> igh <b>Plant Form:</b> <u>T</u> ree, <u>S</u> hrub, <u>V</u> ine <b>Exposure:</b> <u>F</u> ull sun, <u>P</u> artial shade, <u>S</u> hade		Height (average)	Width (average)	Coverage	Food Type	Type	Growth Rate	Water Use	Drought Tolerance	Spines or Thorns	Hedge or Screen	Plant Form	Okay Under Overhead Utility Lines	Exposure	Harvest Dates, (Notes)
BOTANICAL NAME	COMMON NAME (In Alphabetical Order)	(feet)	(feet)	(sq. feet)	B, F, H, N, V, O	D, E, S	S, M, F	VL, L, M, H	L, M, H	Yes or No	Yes or No	T, S, V	Yes or No	F, P, S	
<b>Fruits &amp; Vegetables</b>															
<i>Prunus dulcis</i>	Almond	25	20	236	N	D	S	M	M	N	N	T	N	F	
<i>Prunus amygdalus</i> 'All in One'	Almond, All in One	15	10	59	N	D	S	M	M	N	N	T	Y	F	Late Sept-Oct
<i>Prunus amygdalus</i> 'Garden Prince'	Almond, Garden Prince	10	8	50	N	D	S	M	M	N	N	T	Y	F	Late Sept-Oct
<i>Prunus amygdalus</i> 'Nonpareil'	Almond, Nonpareil	15	10	59	N	D	S	M	M	N	N	T	Y	F	
<i>Malus x domestica</i> 'Anna'	Apple, Anna	15	15	133	F	D	M	H	L	N	N	T	Y	F	June-July
<i>Malus x domestica</i> 'Dorset Golden'	Apple, Dorset Golden	15	15	133	F	D	M	H	L	N	N	T	Y	F	June-July
<i>Malus x domestica</i> 'Ein Shemer'	Apple, Ein Shemer	15	12	85	F	D	M	H	L	N	N	T	Y	F	June-July
<i>Malus x domestica</i> 'Fuji'	Apple, Fuji	15	15	133	F	D	M	H	L	N	N	T	Y	F	Sept-October
<i>Malus x domestica</i> 'Gala'	Apple, Gala	15	12	85	F	D	M	H	L	N	N	T	Y	F	August
<i>Malus x domestica</i> 'Gordon'	Apple, Gordon	15	12	85	F	D	M	H	L	N	N	T	Y	F	Aug-Sept
<i>Malus x domestica</i> 'Granny Smith'	Apple, Granny Smith	15	12	85	F	D	M	H	L	N	N	T	Y	F	Oct - Nov
<i>Malus x domestica</i> 'Mutsu'	Apple, Mutsu (Crispin)	15	12	85	F	D	M	H	L	N	N	T	Y	F	Sept-October
<i>Malus x domestica</i> 'Pink Lady'	Apple, Pink Lady (Cripps Pink)	15	15	133	F	D	M	H	L	N	N	T	Y	F	Oct - Nov
<i>Malus x domestica</i> 'White Winter Pearmain'	Apple, White Winter Pearmain	15	12	85	F	D	M	H	L	N	N	T	Y	F	Sept-October
<i>Malus x domestica</i> 'Yellow Newton Pippin'	Apple, Yellow Newton Pippin	15	12	85	F	D	M	H	L	N	N	T	Y	F	Oct - Nov
<i>Prunus armeniaca</i> 'Blenheim'	Apricot, Blenheim (Royal)	15	15	133	F	D	M	H	L	N	N	T	Y	F	June-July
<i>Prunus armeniaca</i> 'Canadian White Blenheim'	Apricot, Canadian White Blenheim	15	15	133	F	D	M	H	L	N	N	T	Y	F	July-August
<i>Prunus armeniaca</i> 'Chinese'	Apricot, Chinese	15	15	133	F	D	M	H	L	N	N	T	Y	F	June
<i>Prunus armeniaca</i> 'Early Golden'	Apricot, Early Golden	15	15	133	F	D	M	H	L	N	N	T	Y	F	May-June
<i>Prunus armeniaca</i> 'Flora Gold'	Apricot, Flora Gold	15	10	59	F	D	M	H	L	N	N	T	Y	F	June
<i>Prunus</i> 'Gold Kist'	Apricot, Gold Kist	15	15	133	F	D	M	H	L	N	N	T	Y	F	June
<i>Prunus armeniaca</i> 'Katy'	Apricot, Katy	15	15	133	F	D	M	H	L	N	N	T	Y	F	May-June
<i>Prunus armeniaca</i> 'Moorpark'	Apricot, Moorpark	15	15	133	F	D	M	H	L	N	N	T	Y	F	July
<i>Prunus armeniaca</i> 'Royal Rosa'	Apricot, Royal Rosa	15	15	133	F	D	M	H	L	N	N	T	Y	F	May-June
<i>Prunus persica</i> 'Snow Queen'	Apricot, Snow Queen	12	10	59	F	D	F	H	L	N	N	T	Y	F	June
<i>Prunus</i> 'Flavor Delight'	Aprium, Flavor Delight	15	15	133	F	D	M	H	L	N	N	T	Y	F	May-June
<i>Cynara scolymus</i>	Artichoke	4	6	n/a	V	n/a	M	H	L	N	N	S, V	Y	P	Spring
<i>Eruca vesicaria</i>	Arugula	1	.5	n/a	V	n/a	M	H	L	N	N	S	Y	F	
<i>Brassica</i> sp.	Asian Greens	1	1	n/a	V	n/a	F	H	L	N	N	S	Y	P	
<i>Asparagus officinalis</i>	Asparagus	.5	n/a	n/a	V	n/a	M	H	L	N	N	S	Y	F	Early Spring
<i>Ocimum basilicum</i>	Basil	1	1	n/a	H	n/a	F	H	L	N	N	S	Y	F	
<i>Phaseolus vulgaris</i>	Beans, Snap	2	n/a	n/a	V	n/a	F	H	L	N	N	S, V	Y	F	(Amended soil)
<i>Beta Vulgaris</i>	Beet	1	1	n/a	V	n/a	F	H	L	N	N	S	Y	F	
<i>Rubus fruticosus</i> 'Rosborough'	Blackberry, Rosborough	6	1	n/a	B	D	M	H	L	Y	N	S, V	Y	P	July-August
<i>Rubus fruticosus</i> 'Womack'	Blackberry, 'Womack'	4	1	n/a	B	D	M	H	L	Y	N	S, V	Y	P	July-August
<i>Brassica ruvo</i>	Broccoli	2	2	n/a	V	n/a	F	H	L	N	N	S	Y	F	
<i>Brassica oleracea</i>	Brussels Sprouts	2	1.5	n/a	V	n/a	F	H	L	N	N	S	Y	F	
<i>Brassica rapasp.</i>	Cabbage/Kale	1	2	n/a	V	n/a	F	H	L	N	N	S	Y	F	
<i>Brassica pekinensis</i>	Cabbage, Chinese	1	1	n/a	V	n/a	M	H	L	N	N	S	Y	F	
<i>Daucus carota</i>	Carrot	1	0.5	n/a	V	n/a	F	H	L	N	N	S	Y	F	
<i>Brassica</i> sp.	Cauliflower	2	2.5	n/a	V	n/a	F	H	L	N	N	S	Y	F	
<i>Apium graveolens</i> sp.	Celery	1	.5	n/a	V	n/a	M	H	L	N	N	S	Y	F	(Very high water)
<i>Apium graveolens</i> sp.	Celery Root	1	1	n/a	O	n/a	M	H	L	N	N	S	Y	F	(Very high water)
<i>Coriandrum sativum</i>	Cilantro	1	1	n/a	H	n/a	M	H	L	N	N	S	Y	F	
<i>Cucurbit sativus</i>	Cucumber	4	1	n/a	V	n/a	F	H	L	N	N	S	Y	F	
<i>Anethum graveolens</i>	Dill	3	1.5	n/a	H	n/a	M	H	L	N	N	S	Y	F	
<i>Solanum melongena</i>	Eggplant	2	3	n/a	V	n/a	F	H	L	N	N	S	Y	F	
<i>Cichorium endivia</i>	Endive	1	1	n/a	V	n/a	M	H	L	N	N	S	Y	F, P	
<i>Ficus carica</i>	Fig	20	20	236	F	D	M	M, H	L, M	N	N	T	N	F	
<i>Ficus carica</i> 'Black Mission'	Fig, Black Mission	25	25	368	F	D	F	M, H	L, M	N	N	T	N	F	August-Nov
<i>Ficus carica</i> 'Janice'	Fig, Janice	25	25	368	F	D	F	M, H	L, M	N	N	T	N	F	August-Nov
<i>Ficus carica</i> 'Kadota'	Fig, Kadota	25	25	368	F	D	F	M, H	L, M	N	N	T	N	F	August-Nov
<i>Allium ursinum</i>	Garlic	1	.5	n/a	V	n/a	M	H	L	N	N	S	Y	F	
<i>Allium tuberosum</i>	Garlic Chives	1	.5	n/a	H	n/a	F	H	L	N	N	S	Y	F	
<i>Vitis</i> sp.	Grape	10	10	59	F	D	M	L	M	N	Y	V	Y	F, P	
<i>Vitis</i> 'Blush'	Grape, Blush	10	10	59	F	D	M	L	M	N	Y	V	Y	F, P	
<i>Vitis</i> 'Black Monukka Seedless'	Grape, Black Monukka Seedless	10	10	59	F	D	M	L	M	N	Y	V	Y	F, P	
<i>Vitis</i> 'Fantasy'	Grape, Fantasy Seedless	10	10	59	F	D	F	L	M	N	Y	V	Y	F, P	
<i>Vitis</i> 'Flame'	Grape, Flame Seedless	10	10	59	F	D	F	L	M	N	Y	V	Y	F, P	
<i>Vitis</i> 'Harmony'	Grape, Harmony	10	10	59	F	D	M	L	M	N	Y	V	Y	F, P	
<i>Vitis</i> 'Himrod'	Grape, Himrod Seedless	10	10	59	F	D	M	L	M	N	Y	V	Y	F, P	

<b>KEY</b> Height, Width and Coverage are at mature growth. <b>Food Type:</b> <u>B</u> erry, <u>F</u> ruit, <u>H</u> erb, <u>N</u> ut, <u>V</u> egetable, <u>O</u> ther <b>Type:</b> <u>D</u> eciduous, <u>E</u> vergreen, <u>S</u> emi-evergreen <b>Growth Rate:</b> <u>S</u> low, <u>M</u> edium, <u>F</u> ast <b>Water Use:</b> <u>V</u> ery Low, <u>L</u> ow, <u>M</u> edium, <u>H</u> igh <b>Drought Tolerance:</b> <u>L</u> ow, <u>M</u> edium, <u>H</u> igh <b>Plant Form:</b> <u>T</u> ree, <u>S</u> hrub, <u>V</u> ine <b>Exposure:</b> <u>F</u> ull sun, <u>P</u> artial shade, <u>S</u> hade		Height (average)	Width (average)	Coverage	Food Type	Type	Growth Rate	Water Use	Drought Tolerance	Spines or Thorns	Hedge or Screen	Plant Form	Okay Under Overhead Utility Lines	Exposure	Harvest Dates, (Notes)
BOTANICAL NAME	COMMON NAME (In Alphabetical Order)	(feet)	(feet)	(sq. feet)	B, F, H, N, V, O	D, E, S	S, M, F	VL, L, M, H	L, M, H	Yes or No	Yes or No	T, S, V	Yes or No	F, P, S	
<b>Fruites &amp; Vegetables (continued)</b>															
<i>Vitis</i> 'Perlette'	Grape, Perlette Seedless	10	10	59	F	D	M	L	M	N	Y	V	Y	F,P	
<i>Vitis</i> 'Primitivo'	Grape, Primitivo	10	10	59	F	D	M	L	M	N	Y	V	Y	F,P	
<i>Vitis</i> 'Summer Muscat'	Grape, Summer Muscat	10	10	59	F	D	M	L	M	N	Y	V	Y	F,P	
<i>Vitis</i> 'Thompson Seedless'	Grape, Thompson Seedless	10	10	59	F	D	M	L	M	N	Y	V	Y	F,P	
<i>Vitis</i> 'Zinfandel'	Grape, Zinfandel	10	10	59	F	D	M	L	M	N	Y	V	Y	F,P	
<i>Armoracia rusticana</i>	Horseradish	2	3	n/a	O	E	M	H	L	N	N	S	Y	F	(Invasive)
<i>Ziziphus jujuba</i>	Jujube, Chinese Date	25	20	236	F	D	S	M	M	N	Y	T	N	F	
<i>Brassica oleracea</i>	Kale and Collards	1.5	1.5	n/a	V	n/a	F	H	L	N	N	S	Y	F	
<i>Brassica oleracea</i> var. <i>gongylodes</i>	Kohlrabi	1	.5	n/a	V	n/a	F	H	L	N	N	S	Y	F	
<i>Laurus nobilis</i>	Laurel, Bay	12	12	85	H	E	M,F	M	M	N	Y	S	Y	F	
<i>Allium porrum</i>	Leek	2	.5	n/a	V	n/a	F	H	L	N	N	S	Y	F,P	
<i>Cymbopogon citratus</i>	Lemon Grass	4	3	n/a	H	n/a	F	H	L	N	N	S	Y	F	
<i>Lactuca sativa</i>	Lettuce	.5	.5	n/a	V	n/a	M	H	L	N	N	S	Y	F,P	
<i>Valerianella locusta</i>	Mache	.5	.5	n/a	V	n/a	M	H	L	N	N	S	Y	F	
<i>Cucumis melo</i>	Melon, Cantaloupe, Honeydew	1	10	n/a	F	n/a	M	H	L	N	N	V	Y	F	
<i>Cucumis melo</i>	Muskmelon	1	10	n/a	F	n/a	F	H	L	N	N	V	Y	F	
<i>Brassica juncea</i>	Mustard	1	.5	n/a	H	n/a	F	H	L	N	N	S	Y	F	
<i>Prunus persica</i> 'Artic Glo'	Nectarine, Artic Glo	12	10	59	F	D	F	H	L	N	N	T	Y	F	June-July
<i>Prunus persica</i> 'Artic Rose'	Nectarine, Artic Rose	12	10	59	F	D	F	H	L	N	N	T	Y	F	June-July
<i>Prunus persica</i> 'Artic Star'	Nectarine, Artic Star	12	10	59	F	D	F	H	L	N	N	T	Y	F	June
<i>Prunus persica</i> 'Desert Dawn'	Nectarine, Desert Dawn	12	10	59	F	D	F	H	L	N	N	T	Y	F	May
<i>Prunus persica</i> 'Desert Delight'	Nectarine, Desert Delight	12	10	59	F	D	F	H	L	N	N	T	Y	F	June
<i>Prunus persica</i> 'Double Delight'	Nectarine, Double Delight	12	10	59	F	D	F	H	L	N	N	T	Y	F	July
<i>Prunus persica</i> 'Goldmine'	Nectarine, Goldmine	12	10	59	F	D	F	H	L	N	N	T	Y	F	August
<i>Prunus persica</i> 'Liz's Late'	Nectarine, Liz's Late	12	10	59	F	D	F	H	L	N	N	T	Y	F	Aug-Sept
<i>Prunus persica</i> 'Panamint'	Nectarine, Panamint	12	10	59	F	D	F	H	L	N	N	T	Y	F	July-Aug
<i>Abelmoschus esculentus</i>	Okra	6	2	n/a	V	n/a	F	H	L	N	N	S	Y	F	
<i>Allium cepa</i>	Onion	.5	.5	n/a	V	n/a	M	H	L	N	N	S	Y	F,P	
<i>Petroselinum crispum</i>	Parsley	1	1	n/a	H	n/a	F	H	L	N	N	S	Y	F,P	
<i>Pastinaca sativa</i>	Parsnip	1	.5	n/a	V	n/a	M	H	L	N	N	S	Y	F	
<i>Pisum sativum</i>	Pea	6	.5	n/a	V	n/a	F	H	L	N	N	V	Y	F	
<i>Prunus persica</i>	Peach, Nectarine	12	10	59	F	D	F	H	L	N	N	T	Y	F	
<i>Prunus persica</i> 'Artic Supreme'	Peach, Artic Supreme	12	10	59	F	D	F	H	L	N	N	T	Y	F	July-Aug
<i>Prunus persica</i> 'Babcock'	Peach, Babcock White	12	10	59	F	D	F	H	L	N	N	T	Y	F	July
<i>Prunus persica</i> 'Bonanza'	Peach, Bonanza Miniature	12	10	59	F	D	F	H	L	N	N	T	Y	F	June
<i>Prunus persica</i> 'Desert Gold'	Peach, Desert Gold	12	10	59	F	D	F	H	L	N	N	T	Y	F	May-June
<i>Prunus persica</i> 'Earlitreat'	Peach, Earlitreat	12	10	59	F	D	F	H	L	N	N	T	Y	F	May
<i>Prunus persica</i> 'Early Amber'	Peach, Early Amber	12	10	59	F	D	F	H	L	N	N	T	Y	F	June
<i>Prunus persica</i> 'Early Elberta'	Peach, Early Elberta	12	10	59	F	D	F	H	L	N	N	T	Y	F	June-July
<i>Prunus persica</i> 'Elberta'	Peach, Elberta	12	10	59	F	D	F	H	L	N	N	T	Y	F	July-Aug
<i>Prunus persica</i> 'Eldorado'	Peach, Eldorado Miniature	4	4	13	F	D	F	H	L	N	N	S	Y	F	May-June
<i>Prunus persica</i> 'Eva's Pride'	Peach, Eva's Pride	12	10	59	F	D	F	H	L	N	N	T	Y	F	June-July
<i>Prunus persica</i> 'Flordaprince'	Peach, Flordaprince	12	10	59	F	D	F	H	L	N	N	T	Y	F	May-June
<i>Prunus persica</i> 'May Pride'	Peach, May Pride	12	10	59	F	D	F	H	L	N	N	T	Y	F	May-June
<i>Prunus persica</i> 'Mid Pride'	Peach, Mid Pride	12	10	59	F	D	F	H	L	N	N	T	Y	F	July
<i>Prunus persica</i> 'Pix Zee'	Peach, Pix Zee Miniature	6	5	20	F	D	F	H	L	N	N	T	Y	F	June-July
<i>Prunus persica</i> 'Red Baron'	Peach, Red Baron	12	10	59	F	D	F	H	L	N	N	T	Y	F	July-Aug
<i>Prunus persica</i> 'Redhaven'	Peach, Redhaven	12	10	59	F	D	F	H	L	N	N	T	Y	F	June-July
<i>Prunus persica</i> 'Starks Saturn'	Peach, Starks Saturn, Donut, Saucer, Peento	12	10	59	F	D	F	H	L	N	N	T	Y	F	June-July
<i>Prunus persica</i> 'Strawberry Free'	Peach, Strawberry Free White	12	10	59	F	D	F	H	L	N	N	T	Y	F	June-July
<i>Prunus persica</i> 'Tropic Snow'	Peach, Tropic Snow White	12	10	59	F	D	F	H	L	N	N	T	Y	F	June
<i>Arachis pypogaea</i>	Peanut	2	1	n/a	N	n/a	M	H	L	N	N	S	Y	F	
<i>Pyrus communis</i> 'Bartlett'	Pear, Bartlett	30	15	133	F	D	M	H	L	N	N	T	N	F	August
<i>Pyrus communis</i> 'Cornice'	Pear, Cornice	30	15	133	F	D	M	H	L	N	N	T	N	F	Sept-Oct
<i>Pyrus communis</i>	Pear, European	30	15	133	F	D	M	H	L	N	N	T	N	F	
<i>Pyrus communis</i> 'Hood'	Pear, Hood	30	15	133	F	D	M	H	L	N	N	T	N	F	July-Aug
<i>Pyrus communis</i> 'Kieffer'	Pear, Kieffer	30	15	133	F	D	M	H	L	N	N	T	N	F	Sept-Oct
<i>Pyrus communis</i> 'Monterrey'	Pear, Monterrey	30	15	133	F	D	M	H	L	N	N	T	N	F	Aug-Sept
<i>Pyrus communis</i> 'Red Bartlett'	Pear, Red Bartlett	30	15	133	F	D	M	H	L	N	N	T	N	F	Aug-Sept

<b>KEY</b> Height, Width and Coverage are at mature growth. <b>Food Type:</b> <u>B</u> erry, <u>F</u> ruit, <u>H</u> erb, <u>N</u> ut, <u>V</u> egetable, <u>O</u> ther <b>Type:</b> <u>D</u> eciduous, <u>E</u> vergreen, <u>S</u> emi-evergreen <b>Growth Rate:</b> <u>S</u> low, <u>M</u> edium, <u>F</u> ast <b>Water Use:</b> <u>V</u> ery Low, <u>L</u> ow, <u>M</u> edium, <u>H</u> igh <b>Drought Tolerance:</b> <u>L</u> ow, <u>M</u> edium, <u>H</u> igh <b>Plant Form:</b> <u>T</u> ree, <u>S</u> hrub, <u>V</u> ine <b>Exposure:</b> <u>F</u> ull sun, <u>P</u> artial shade, <u>S</u> hade		Height (average)	Width (average)	Coverage	Food Type	Type	Growth Rate	Water Use	Drought Tolerance	Spines or Thorns	Hedge or Screen	Plant Form	Okay Under Overhead Utility Lines	Exposure	Harvest Dates, (Notes)
BOTANICAL NAME	COMMON NAME (In Alphabetical Order)	(feet)	(feet)	(sq. feet)	B, F, H, N, V, O	D, E, S	S, M, F	VL, L, M, H	L, M, H	Yes or No	Yes or No	T, S, V	Yes or No	F, P, S	
<b>Fruits &amp; Vegetables (continued)</b>															
<i>Pyrus pyrifolia</i> 'Shinseiki'	Pear, Shinseiki Asian	12	12	85	F	D	M	H	L	N	N	T	Y	F	July-Aug
<i>Pyrus pyrifolia</i> 'Twentieth Century'	Pear, Twentieth Century Asian	12	12	85	F	D	M	H	L	N	N	T	Y	F	August
<i>Capsicum annuum</i>	Pepper	2	1.5	n/a	V	n/a	F	H	L	N	N	S	Y	F	
<i>Diospyros kaki</i>	Persimmon	15	12	85	F	D	M	H	L	N	N	T	Y	F	
<i>Diospyros kaki</i> 'Fuyu'	Persimmon, Fuyu/Jiro	15	12	85	F	D	M	H	L	N	N	T	Y	F	Oct-Nov
<i>Diospyros kaki</i> 'Hachiya'	Persimmon, Hachiya	15	12	85	F	D	M	H	L	N	N	T	Y	F	Nov-Dec
<i>Pistacia vera</i>	Pistachio Nut	20	20	236	N	D	M	M	M	N	N	T	Y	F	
<i>Prunus</i> sp.	Plum	15	15	133	F	D	M	M	M	N	N	T	Y	F	
<i>Prunus salicina</i> 'Beauty'	Plum, Beauty	15	15	133	F	D	M	M	M	N	N	T	Y	F	June
<i>Prunus salicina</i> 'Burbank'	Plum, Burbank	10	10	59	F	D	M	M	M	N	N	T	Y	F	July-Aug
<i>Prunus salicina</i> 'Elephant Heart'	Plum, Elephant Heart	15	15	133	F	D	M	M	M	N	N	T	Y	F	Aug-Sept
<i>Prunus salicina</i> 'Emerald Beaut'	Plum, Emerald Beaut	15	15	133	F	D	M	M	M	N	N	T	Y	F	Aug-Oct
<i>Prunus salicina</i> 'Mariposa'	Plum, Mariposa	15	15	133	F	D	M	M	M	N	N	T	Y	F	July-Aug
<i>Prunus salicina</i> 'Santa Rosa'	Plum, Santa Rosa	15	15	133	F	D	M	M	M	N	N	T	Y	F	June-July
<i>Prunus salicina</i> 'Weeping Santa Rosa'	Plum, Weeping Santa Rosa	8	8	50	F	D	M	M	M	N	N	T	Y	F	June-July
<i>Prunus armeniaca</i> x <i>domestica</i> 'Flavor King'	Pluot® , Flavor King	12	12	85	F	D	M	M	M	N	N	T	Y	F	Aug-Sept
<i>Prunus armeniaca</i> x <i>domestica</i> 'Flavor Queen'	Pluot® , Flavor Queen	12	12	85	F	D	M	M	M	N	N	T	Y	F	July-Aug
<i>Punica</i> sp.	Pomegranate	20	15	133	F	D	M	M	M	N	N	T, S	Y	F	
<i>Punica granatum</i> 'Eversweet'	Pomegranate, Eversweet	8	8	50	F	D	M	M	M	N	N	T, S	Y	F	Summer-Fall
<i>Punica granatum</i> 'Sweet'	Pomegranate, Sweet	15	15	133	F	D	M	M	M	N	N	T	Y	F	Late Summer
<i>Punica granatum</i> 'Wonderful'	Pomegranate, Wonderful	15	15	133	F	D	M	M	M	N	N	T	Y	F	
<i>Solanum tuberosum</i>	Potato	2	2	n/a	V	D	M	H	L	N	N	S	Y	F	
<i>Prunus</i> x <i>domestica</i> 'French Improved'	Prune, French Improved	15	15	133	F	D	M	M	M	N	N	T	Y	F	August
<i>Prunus</i> x <i>domestica</i> 'Italian'	Prune, Italian	15	15	133	F	D	M	M	M	N	N	T	Y	F	Aug-Sept
<i>Prunus</i> x <i>domestica</i> 'Sugar'	Prune, Sugar	15	15	133	F	D	M	M	M	N	N	T	Y	F	August
<i>Cucurbita pepo</i>	Pumpkin	2	30	n/a	V	n/a	F	H	L	N	N	V	Y	F	
<i>Cydonia oblonga</i>	Quince	15	15	133	F	D	S	M, H	L, M	N	N	T	Y	F	
<i>Cydonia oblonga</i> 'Orange'	Quince, Orange	15	15	133	F	D	S	M, H	L, M	N	N	T	Y	F	
<i>Cydonia oblonga</i> 'Pineapple'	Quince, Pineapple	15	15	133	F	D	S	M, H	L, M	N	N	T	Y	F	
<i>Raphanus sativus</i>	Radish	1.5	.5	n/a	V	n/a	F	H	L	N	N	S	Y	P	
<i>Rosmarinus officinalis</i>	Rosemary	4	6	28	H	E	M, F	L, M	M	N	N	S	Y	F, P	
<i>Brassica napus</i>	Rutabaga	1	1	n/a	V	n/a	M	H	L	N	N	S	Y	F	(needs cold)
<i>Tragopogon porrifolius</i>	Salsify	2	1	n/a	V	n/a	F	H	L	N	N	S	Y	F, P	
<i>Allium cepa</i>	Shallot	1	.5	n/a	V	n/a	M	H	L	N	N	S	Y	F	
<i>Spinacia oleracea</i>	Spinach	.5	1	n/a	V	n/a	F	H	L	N	N	S	Y	F	
<i>Fragaria</i> 'Lassen'	Strawberry, Lassen	.5	.5	n/a	B	n/a	F	H	L	N	N	S	Y	F, P	Spring, Fall
<i>Fragaria</i> 'Shasta'	Strawberry, Shasta	.5	.5	n/a	B	n/a	F	H	L	N	N	S	Y	F, P	June-July
<i>Cucurbita pepo</i>	Squash, Summer/Winter	1	15	n/a	V	n/a	F	H	L	N	N	V	Y	F	
<i>Helianthus annuus</i>	Sunflower, Common	5	2	n/a	O	n/a	F	M	L	N	N	S	Y	F	
<i>Ipomoea batatas</i>	Sweet Potato	2	5	n/a	V	n/a	F	H	L	N	N	S, V	Y	F	
<i>Beta vulgaris</i>	Swiss Chard	1	1	n/a	V	n/a	F	H	L	N	N	S	Y	F	
<i>Physalis ixocarpa</i>	Tomatillo	3	4	n/a	V	n/a	F	H	L	N	N	S	Y	F	
<i>Lycopersicon</i> sp.	Tomato	8	4	n/a	V	n/a	F	H	L	N	N	S, V	Y	F	
<i>Brassica rapa</i>	Turnip	.5	.5	n/a	V	n/a	F	H	L	N	N	S	Y	F	
<i>Juglans rupestris</i> major	Walnut, Nogal/Arizona Walnut	40	30	530	N	D	M	M	M	N	N	T	N	F	
<i>Citrullus lanatus</i>	Watermelon	1	15	n/a	F	n/a	M	H	L	N	N	V	Y	F	

This page left blank intentionally.

